

Hole Number	Drill Station	From/To (m)	Interval (m)	Zinc (%)	Lead (%)	Zinc+Lead (%)	Silver Grams/t
V-245	4	52.8 - 58.6	5.8	21.52	15.09	36.61	53.48
		69.5 - 71.2	1.7	18.23	5.97	24.2	40.03
		73.6 - 79.8	6.2	8.16	1.28	9.44	18.37
V-246	4	33.0 - 34.0	1.0	11.10	0.01	11.11	2.70
		45.8 - 55.2	9.4	7.33	0.83	8.16	7.35
		67.2 - 68.9	1.7	16.06	2.57	18.63	29.71
		75.2 - 78.4	3.2	20.32	3.58	23.9	28.11
V-251	5	57.1 - 60.8	3.7	8.26	0.82	9.08	9.13
		63.1 - 66.1	3.0	4.49	0.05	4.54	4.47
		82.4 - 83.9	1.5	4.58	0.01	4.59	6.79
V-252	5	1.2 - 1.9	0.7	3.98	0.19	4.17	4.80
		15.0 - 17.2	2.2	4.80	0.12	4.92	3.39
V-253	5	6.7 - 10.1	3.4	5.01	1.04	6.05	6.96
		13.1 - 15.1	2.0	7.10	0.09	7.19	1.20
		77.9 - 80.6	2.7	3.67	0.02	3.69	10.88
		100.8 - 106.4	5.6	7.00	1.69	8.69	7.40
		114.4 - 117.8	3.4	4.70	0.01	4.71	8.56
V-254	5	3.8 - 4.8	1.0	6.14	-	6.14	1.98
		24.6 - 25.9	1.3	2.75	0.01	2.76	3.36
		29.5 - 31.1	1.6	4.70	-	4.70	1.60
V-255	5	8.1 - 12.1	4.0	4.77	0.01	4.78	3.29
		18.4 - 19.4	1.0	3.86	0.01	3.87	1.10
		25.1 - 26.8	1.7	4.49	-	4.49	1.34
		43.7 - 59.2	15.5	12.42	4.79	17.21	41.94
		65.2 - 70.4	5.2	7.94	1.05	8.99	16.24
		73.7 - 76.4	2.7	9.11	1.91	11.02	30.40
V-256	5	0.0 - 1.3	1.3	6.78	0.05	6.83	2.60
		6.0 - 15.0	9.0	6.13	0.11	6.24	1.91
		27.3 - 30.0	2.7	4.53	-	4.53	1.46
		38.6 - 55.9	17.3	6.33	0.79	7.12	11.41
V-257	5	6.7 - 8.0	1.3	4.42	0.01	4.43	2.54
		17.3 - 23.2	5.9	6.55	0.22	6.77	6.44
		35.3 - 66.7	31.4	9.75	1.11	10.86	31.40
V-258	5	2.4 - 4.7	2.3	2.71	0.02	2.73	1.95
		12.3 - 18.0	5.7	12.54	1.70	14.24	25.28
		27.5 - 37.3	9.8	4.90	0.12	5.02	3.52
		45.6 - 68.5	22.9	11.76	0.84	12.60	14.07
V-261	3	116.2 - 121.8	5.6	7.04	1.30	8.34	13.52
		136.4 - 137.4	1.0	6.89	0.07	6.96	10.40
V-262	3	58.8 - 59.6	0.8	2.92	1.47	4.39	20.10
		79.3 - 81.5	2.2	6.64	0.40	7.04	17.66
		85.8 - 87.0	1.2	14.74	-	14.74	43.10
V-263	3	51.0 - 55.5	4.5	4.92	0.74	5.66	6.60
		66.9 - 67.7	0.8	6.82	1.50	8.32	17.90
		95.7 - 96.7	1.0	8.19	-	8.19	20.70
		102.4 - 105.4	2.0	3.07	0.01	3.08	5.45
V-264	3	84.2 - 86.2	2.0	2.95	0.01	2.96	1.48
V-265	3	63.6 - 63.9	0.3	10.05	-	10.05	3.90
		99.5 - 100.5	1.0	5.60	2.23	7.83	23.40
		228.2 - 121.1	2.3	2.40	0.36	2.76	3.04
		122.5 - 123.8	1.3	1.76	0.01	1.77	0.80
V-266	3	9.7 - 10.0	0.3	2.48	2.92	5.40	9.20
		64.7 - 72.1	7.4	11.98	1.46	13.44	31.43
		95.3 - 97.3	2.0	1.80	0.81	2.61	17.95
V-270	6	25.3 - 26.7	1.4	2.70	0.31	3.01	10.80
		35.7 - 56.5	20.8	10.14	0.31	10.45	10.32
		76.4 - 82.5	6.1	8.87	0.18	9.05	9.54
		84.9 - 90.3	5.4	2.66	0.08	2.74	23.56
		92.3 - 106.9	14.6	11.33	0.02	11.35	5.90