

824600

824800

9353600


9353600

9353400





9353400

9353200

9353200



LEGEND

-  Fault / Inferred Fault
-  Plat.A ● Drill Platform
-  DDH ● Drill holes completed
-  DDH ● Drill holes completed in 2013




**BONGARA PROJECT
KAREN MILAGROS AREA
DRILL LOCATION MAP**

Geology	Gustavo Vera	12/11/09	CODE	PE_BG_GEO_2.5K_	LAM
Drawn	Carolina Filio	02/07/13		karen-milagros	
Revised	Isaac Robles	02/07/13	SCALE	1:2.5K	
Approved	José Díaz	02/07/13			

824600

824800

KAREN MILAGROS DRILL SECTION



2013 Surface Drilling Results: Karen-Milagros Zone
(Intervals With Grade (Zn + Pb) x Thickness Greater Than 4.0)

DRILL HOLE	From (m)	To (m)	Interval (m)	Zinc (%)	Lead (%)	Zn+Pb (%)	Silver Grams/t
V_377	111.4	116.0	4.6	8.49	1.50	9.99	9.39
V_378	94.7	101.4	6.7	13.08	1.32	14.40	8.80
	125.8	133.5	7.7	14.62	2.11	16.73	15.69
V_379	152.7	153.4	0.7	8.22	0.20	8.42	1.90
	159.3	160.1	0.8	5.35	0.00	5.35	1.20
V_380	125.7	126.5	0.8	8.46	0.10	8.56	1.70
	135.5	137.8	2.3	3.83	0.01	3.83	0.73
	80.2	89.9	9.7	7.93	1.28	9.22	7.15
V_381	110.7	112.7	2.0	3.23	0.52	3.75	3.74
	120.4	121.1	0.7	12.70	4.70	17.40	25.10
V_383	104.3	108.2	3.9	12.22	0.09	12.31	4.55
incl	105	106.7	1.7	26.80	0.20	27.00	3.60
	124.6	130.2	5.6	5.75	0.88	6.63	6.86
V_385	98.1	103.4	5.3	9.11	6.19	15.30	36.07
V_386	74.5	90.7	16.2	10.70	1.71	12.41	11.13
	100.8	101.5	0.7	10.40	1.40	11.80	10.70
	110.8	111.8	1.0	16.80	14.40	31.20	89.20
V_388	107.5	108.5	1.0	6.19	0.33	6.52	5.50
V_389	109.2	111.9	2.7	9.95	0.10	10.04	1.30
	128.1	131.1	3.0	4.21	0.20	4.41	2.10
V_394	86.2	87.8	1.6	5.57	0.16	5.72	0.95
	100	103.5	3.5	21.72	7.08	28.79	48.69
V_397	96.3	98.7	2.4	33.00	21.33	54.33	133.96
V_398	89.6	91.6	2.0	6.50	0.34	6.84	4.05
V_400	109.6	111.6	2.0	21.95	1.54	23.49	11.40
V_401	122.7	126	3.3	8.88	1.32	10.21	7.81
	155.0	167.7	12.7	7.38	1.78	9.16	13.29
	102.4	107.9	5.5	17.17	0.94	18.11	8.49
V_412	127	128.3	1.3	30.60	12.40	43.00	80.30
	133.4	134.4	1.0	29.40	4.30	33.70	36.30
V_413	102.1	104.1	2.0	3.33	0.34	3.66	2.65
	122.6	126	3.4	14.52	2.77	17.29	20.18
V_414	72.3	73.4	1.1	3.77	0.11	3.88	0.80
V_418	84.4	87.2	2.8	4.71	0.02	4.73	0.96
V_421	83.4	86.5	3.1	6.23	1.17	7.41	9.39
V_424	87.3	104.5	17.2	5.83	0.26	6.09	2.36
	122.0	123.0	1	7.10	0.70	7.80	5.30
	89.2	91.2	2	12.82	0.31	13.14	5.46
V_426	108.3	110.3	2.0	30.90	13.60	44.50	95.50
	114.9	118.8	3.9	5.86	0.06	5.92	12.36

V_427	96.6	103.5	6.9	5.50	0.15	5.65	1.95
	120.5	135.6	15.1	12.06	2.75	14.81	17.59
V_428	77.0	80.1	3.1	4.16	0.69	4.85	4.37
	39.6	40.5	0.9	42.70	0.20	42.90	0.80
	52.2	69.2	17.0	11.74	1.08	12.81	18.48
V_436	75.0	80.0	5.0	5.28	0.05	5.33	1.01
	87.0	93.0	6.0	15.51	2.52	18.04	29.74
	122.9	129.4	6.5	9.57	2.58	12.15	15.23
V_440	30.3	34.9	4.6	16.19	1.69	17.87	9.36
	51.6	53.2	1.6	20.54	0.57	21.11	7.15
V_441	26.4	31.4	5.0	17.68	2.21	19.89	15.02
V_443	61.7	62.4	0.7	9.37	0.20	9.57	3.80
	67.7	68.7	1.0	4.31	2.28	6.59	16.40
V_444	31.0	33.0	2.0	7.55	0.04	7.59	1.80
	47.0	50.8	3.8	17.25	1.78	19.02	14.78
V_445	44.8	46.9	2.1	21.19	5.44	26.63	38.10
V_446	34.6	39.5	4.9	16.21	1.43	17.64	9.42
V_447	29.0	30.0	1.0	9.55	0.28	9.83	3.50
	38.0	47.0	9.0	4.50	0.63	5.13	6.27
V_448	29.0	31.0	2.0	17.63	0.60	18.23	5.50
	47.0	48.1	1.1	9.17	2.14	11.31	16.20
	35.0	37.4	2.4	15.49	1.27	16.75	8.22
V_449	44.9	46.2	1.3	3.15	0.19	3.34	1.60
	63.3	64.1	0.8	3.73	1.97	5.70	15.30
V_450	40.5	45.2	4.7	12.06	2.95	15.01	20.11
	76.3	77.4	1.1	4.55	0.00	4.55	0.25
V_451	46.5	77.2	30.7	13.06	4.97	18.03	32.64
	89.2	90.5	1.3	20.70	7.32	28.02	59.40
V_452	29.3	48.7	19.4	7.66	0.73	8.38	7.33
V_453	36.4	58.4	22.0	13.70	1.54	15.24	14.47
	74.4	79.4	5.0	12.33	2.01	14.34	22.12
V_454	53.5	54.8	1.3	3.83	0.04	3.87	0.60
	77.3	79.0	1.7	21.38	0.92	22.31	14.95
V_455	50.5	51.7	1.2	8.13	2.04	10.17	15.10